

# Sachmerkmale/Klassifikation

Syntax der Datei „class\_attribute.xml“

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<speedy>
  <attributedefs>
    <attributedef name="" description="" displayname="" prop=""
datatype="[string|boolean|integer|double]" edittype="[edit|check|selection]"
min="" max="" step="" mask="" literal="" content=""/>
    ...
  </attributedefs>
  <classes>
    <class name="" description="" doctype="" parent="">
      <attribute name="" required="[0|1]" value="" prop=""/>
      ...
    </class>
    <class name="" description="" doctype="" parent="">
      <class name="" description="" doctype="" parent="">
        <attribute name="" required="[0|1]" value="" prop=""/>
        ...
      </class>
    </class>
  </classes>
</speedy>
```

## Attributdefinition

Feld	Beschreibung
name	
description	
displayname	
prop	
datatype	
edittype	
min	
max	
step	
mask	
literal	
content	

## Attribut

Feld	Beschreibung
name	
required	

Feld	Beschreibung
value	
prop	

## Klasse

Feld	Beschreibung
name	
description	
doctype	
parent	

From:  
<https://wiki.speedy-pdm.de/> - speedyPDM - Wiki

Permanent link:  
[https://wiki.speedy-pdm.de/doku.php?id=speedy:30\\_modules:classify&rev=1602568686](https://wiki.speedy-pdm.de/doku.php?id=speedy:30_modules:classify&rev=1602568686)

Last update: **2020/10/13 07:58**

