

Sachmerkmale/Klassifikation

Syntax der Datei „class_attribute.xml“

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<speedy>
  <attributedefs>
    <attributedef name="" description="" displayname="" prop=""
datatype="[string|boolean|integer|double]" edittype="[edit|check|selection]"
min="" max="" step="" mask="" literal="" content=""/>
    ...
  </attributedefs>
  <classes>
    <class name="" description="" doctype="" parent="">
      <attribute name="" required="[0|1]" value="" prop=""/>
      ...
    </class>
    <class name="" description="" doctype="" parent="">
      <class name="" description="" doctype="" parent="">
        <attribute name="" required="[0|1]" value="" prop=""/>
        ...
      </class>
    </class>
  </classes>
</speedy>
```

Attributdefinition

Feld	Beschreibung
name	
description	
displayname	
prop	
datatype	
edittype	
min	
max	
step	
mask	
literal	
content	

Attribut

Feld	Beschreibung
name	
required	

Feld	Beschreibung
value	
prop	

Klasse

Feld	Beschreibung
name	
description	
doctype	
parent	

From:
<https://wiki.speedy-pdm.de/> - **speedyPDM - Wiki**

Permanent link:
https://wiki.speedy-pdm.de/doku.php?id=speedy:30_modules:classify&rev=1602568686

Last update: **2020/10/13 07:58**

